ABSTRACT OF SANITARY REPORTS.

VOL. VI. WASHINGTON, D. C., JULY 17, 1891. No. 29.

[Published at the Marine-Hospital Bureau in accordance with act of Congress of April 29, 1878.]

UNITED STATES.

SPECIAL REPORTS.

Yellow fever on board Norwegian bark "Crown Prince," while en route from Rio.

Passed Assistant Surgeon H. R. Carter, under date of July 6, 1891, reports as follows:

I have the honor to report the arrival last evening of the Norwegian bark *Crown Prince*, from Rio via Barbadoes, for Ship Island, in rock ballast. Said vessel had *no* sickness in Rio, and lay in a healthful part of the harbor—Mocanqué—but developed yellow fever when seven days out.

Every man aboard (14) had it, and of these, 6 died, including the master.

Put into Barbadoes, and was there disinfected and quarantined, but ballast not disturbed nor hole cleaned. She is very clean above deck, mechanically, and newly painted.

Delaware Breakwater quarantine station.

Under date of July 14 Acting Assistant Surgeon Orr reports that the British ship *Grandee*, which was reported to have sailed from Havana July 2, 1891, bound for New York or Philadelphia, without a bill of health (*vide* ABSTRACT, July 10), arrived at the Delaware Breakwater quarantine July 14, 1891, in good condition and all well on board, and that there was no sickness during the voyage.

The vessel was examined and passed to the Philadelphia lazaretto, in accordance with the following request of the Philadelphia board of health, notice being given by telegram:

OFFICE OF THE BOARD OF HEALTH,
City Hall, Philadelphia, June 4, 1891.

SIR: I am directed by the board of health to request that steamers from Havana, bound to Philadelphia, when found on inspecton to have all well on board and to be in good sanitary condition, be allowed to

proceed to the Lazaretto quarantine station without detention, according to the practice of preceding seasons.

Very respectfully,

WILLIAM P. TROTH,
Chief Clerk.

Dr. WILLIAM P. ORR,
Acting Assistant Surgeon, M.-H. S.

United States quarantine station, Dry Tortugas, Fla.

The iron steamer *Dagmar*—length over all, 121 feet; beam, 16½ feet; depth of hold, 9½ feet; speed, 14 knots an hour—recently purchased and put in commission by the Government for the use of the United States quarantine station, Dry Tortugas, Fla., sailed from New York for Dry Tortugas July 11, commanded by Assistant Surgeon Geddings, M.-H. S. She will be used as a boarding steamer for hailing vessels from South American and West Indian ports, and will also carry mail and supplies between the quarantine station and the buoy in the outer harbor at Key West.

Reports of States, and yearly and monthly reports of cities.

CALIFORNIA—*Los Angeles.*—Month of June, 1891. Population, 50,395. Total deaths, 71, including phthisis pulmonalis, 13; enteric fever, 4; scarlet fever, 1; diphtheria, 3; and whooping cough, 1.

FLORIDA—*Alachua County.*—Month of June, 1891. Population, 23,000. Total deaths, 6, including phthisis pulmonalis 1 and enteric fever 1.

ILLINOIS—*Chicago.*—Month of June, 1891. Population, 1,099,850. Total deaths, 1,797, including phthisis pulmonalis, 149; enteric fever, 167; scarlet fever, 30; diphtheria, 44; measles, 22; and whooping cough, 13.

INDIANA—*Evansville.*—Month of June, 1891. Population, 50,756. Total deaths, 85, including phthisis pulmonalis, 11; enteric fever, 4; diphtheria, 2.

MARYLAND—*Baltimore.*—Month of June, 1891. Population, 434,439. Total deaths, 725, including phthisis pulmonalis, 60; enteric fever, 6; scarlet fever, 9; diphtheria, 21; croup, 3; and whooping cough, 8.

MASSACHUSETTS—*Brockton.*—Month of June, 1891. Population, 27,294. Total deaths, 25, including 3 from phthisis pulmonalis.

MICHIGAN.—Week ended July 4, 1891. Reports to the State board of health, Lansing, from 51 observers, indicate that cholera morbus, whooping cough, scarlet fever, diphtheria, inflammation of brain, cholera infantum, and remittent fever increased, and that cerebro-

spinal meningitis, typhoid fever, pneumonia, inflammation of bowels, typho-malarial fever, erysipelas, and inflammation of kidney decreased in area of prevalence. Diphtheria was reported present during the week at 26 places, scarlet fever at 36 places, enteric fever at 14 places, and measles at 20 places.

MINNESOTA.—Month of May, 1891. Reports to the State board of health show a total of 732 deaths in a population of 1,301,826, including measles, 15; scarlet fever, 10; enteric fever, 10; diphtheria, 31; and croup, 5.

MISSOURI—*Kansas City.*—Month of June, 1891. Population, 132,716. Total deaths, 110, including phthisis pulmonalis, 10; enteric fever, 2; and whooping cough, 1.

OHIO—*Cincinnati.*—Month of June, 1891. Population, 296,908. Total deaths, 532, including phthisis pulmonalis, 47; enteric fever, 21; scarlet fever, 5; diphtheria, 13; croup, 2; and measles, 4.

Dayton.—Month of June, 1891. Population, 61,220. Total deaths, 71, including phthisis pulmonalis, 6; diphtheria, 6; and croup, 1.

RHODE ISLAND—*Newport.*—Month of June, 1891. Population, 19,457. Total deaths, 15. No deaths from contagious diseases.

TEXAS—*San Antonio.*—Month of June, 1891. Population, 37,673. Total deaths, 116, including phthisis pulmonalis, 9; enteric fever, 3; smallpox, 1; and measles, 2.

Publications received.

Transactions of the Detroit Medical and Library Association, 1890.

Third annual report of the health department of the city of Mansfield, Ohio.

Report of the proceedings of the State board of health of Kentucky.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from—										
				Phthisis pulmonalis.	Yellow fever.	Smallpox.	Varioloid.	Varicella.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
New York, N. Y.	July 11	1,515,301	957	89	.....	.....	.....	.....	.....	4	30	27	13	3
Philadelphia, Pa.	July 4	1,046,964	452	41	.....	.....	.....	.....	.....	12	5	7	.....	3
Brooklyn, N. Y.	July 11	806,343	572	41	.....	.....	.....	.....	.....	1	4	12	5	2
Boston, Mass.	July 11	448,477	180	30	.....	.....	.....	.....	.....	1	.....	.....	.....	1
Baltimore, Md.	July 11	434,439	284	21	.....	.....	.....	.....	.....	2	4	3	.....	1
San Francisco, Cal.	July 4	298,997	122	11	.....	.....	.....	.....	.....	2	.....	1	.....	.....
Cincinnati, Ohio	July 10	296,908	148	19	.....	.....	.....	.....	.....	2	1	4	1	.....
New Orleans, La.	June 13	242,039	137	11	.....	.....	.....	.....	.....	1	.....	.....	1	.....
New Orleans, La.	June 20	242,039	168	9	.....	.....	.....	.....	.....	3	.....	.....	.....	1
New Orleans, La.	June 27	242,039	154	17	.....	.....	.....	.....	.....	1	.....	.....	1	1
Pittsburgh, Pa.	June 27	238,617	95	.....	.....	.....	.....	.....	.....	1	1	1	1	2
Pittsburgh, Pa.	July 4	238,617	141	12	.....	.....	.....	.....	.....	4	.....	2	3	3
Detroit, Mich.	June 27	205,876	88	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....
Detroit, Mich.	July 4	205,876	83	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....
Louisville, Ky.	July 4	161,129	60	7	.....	.....	.....	.....	.....	2	.....	1	.....	.....
Rochester, N. Y.	July 4	133,896	32	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rochester, N. Y.	July 11	133,896	25	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Providence, R. I.	July 11	132,146	32	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
Toledo, Ohio	July 10	81,434	37	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....
Richmond, Va.	July 11	81,388	50	6	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
Nashville, Tenn.	July 11	76,168	45	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Fall River, Mass.	July 11	74,398	61	5	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
Wilmington, Del.	July 11	61,437	28	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Lynn, Mass.	July 4	55,727	13	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Portland, Me.	July 11	36,425	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Binghamton, N. Y.	July 11	35,005	10	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Yonkers, N. Y.	July 4	32,033	18	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
Yonkers, N. Y.	July 11	32,033	18	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Mobile, Ala.	July 11	31,076	18	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
Galveston, Tex.	July 3	29,084	21	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....
Auburn, N. Y.	July 11	25,858	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
San Diego, Cal.	July 4	16,159	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pensacola, Fla.	July 4	11,750	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....

Table of temperature and rainfall, week ended July 10, 1891.

[Received from War Department, Signal Office.]

Locality.	Mean temperature in degrees Fahrenheit.			Rainfall in inches and hundredths.		
	Normal.	Excess.	Deficiency.	Normal.	Excess.	Deficiency.
New England States:						
Eastport, Me	59		14	.98	.65	
Portland, Me	67		28	.84	1.00	
Boston, Mass	73		42	.77	.53	
Block Island, R. I	67		14	.70	1.28	
Middle Atlantic States:						
Albany, N. Y	74		56	.91		.15
New York, N. Y	73		42	1.00	.04	
Philadelphia, Pa	74		42	.95	.91	
Atlantic City, N. J	76		28	.77	1.19	
Baltimore, Md	76		70	1.10	1.59	
Washington, D. C	77		62	1.05	.60	
Lynchburg, Va	80		70	.84	.68	
Norfolk, Va	79		42	1.19	.79	
South Atlantic States:						
Charlotte, N. C	81		56	1.34		.22
Wilmington, N. C	80		28	1.61		1.16
Charleston, S. C	82		14	1.58		.60
Augusta, Ga	82		27	1.16		.90
Savannah, Ga	83		26	1.13	.40	
Jacksonville, Fla	82		14	1.47		.66
Key West, Fla	84			.98		.98
Gulf States:						
Atlanta, Ga	79		28	1.05	.03	
Pensacola, Fla	82		14	1.47		.61
Mobile, Ala	82		28	1.40	2.37	
Montgomery, Ala	82		28	1.02	.16	
Vicksburg, Miss	81		42	.98	1.45	
New Orleans, La	83		42	1.47	.97	
Shreveport, La	84		56	.98	.60	
Fort Smith, Ark	81		42	.86		.81
Little Rock, Ark	81		42	.79	.28	
Palestine, Tex	83		14	.70	1.04	
Galveston, Tex	85		42	.75	2.30	
San Antonio, Tex	83			.63		.55
Corpus Christi, Tex	84		14	.49	.99	
Brownsville, Tex	84			.52		2.20
Rio Grande City, Tex	86	14		.21		.10
Lake Region:						
Oswego, N. Y	69		70	.82	.77	
Rochester, N. Y	73		84	.63	.87	
Buffalo, N. Y	69		56	.77	.69	
Erie, Pa	73		84	.70	.10	
Cleveland, Ohio	71		42	.91		.37
Sandusky, Ohio	76		70	.75		.33
Toledo, Ohio	77		98	.76	.24	
Detroit, Mich	72		56	.84	.20	
Port Huron, Mich	71		84	.60	.40	
Alpena, Mich	65		42	.72		.71
Marquette, Mich	65		42	.71		.71
Grand Haven, Mich	69		56	.73	.19	
Milwaukee, Wis	70		56	.77	.67	
Chicago, Ill	73		70	.91	.38	
Duluth, Minn	66		28	.91		.91
Ohio Valley and Tennessee:						
Memphis, Tenn	81		42	.73	.61	
Nashville, Tenn	79		56	.98		.14
Chattanooga, Tenn	79		28	.84	.72	
Knoxville, Tenn	77		42	.98	.82	
Louisville, Ky	80		70	.91		.01
Indianapolis, Ind	76		56	1.12	.08	
Cincinnati, Ohio	77		70	.72	1.70	
Columbus, Ohio	76		66	.82	.60	
Pittsburgh, Pa	76		70	1.15	.45	
Upper Mississippi Valley:						
St. Paul, Minn	72		56	.77	.53	
La Crosse, Wis	73		71	1.05		.08
Dubuque, Iowa	74		56	1.11	.94	
Davenport, Iowa	75		56	.91	1.27	
Des Moines, Iowa	75		56	.86		.80
Keokuk, Iowa	77		56	1.05		.73
Springfield, Ill	76		56	.72	.14	
Cairo, Ill	78		42	.90	.22	
St. Louis, Mo	79		42	.87	.19	

Table of temperature and rainfall, week ended July 10, 1891—Continued.

Locality.	Mean temperature in degrees Fahrenheit.			Rainfall in inches and hundredths.		
	Normal.	Excess.	Deficiency.	Normal.	Excess.	Deficiency.
Missouri Valley:						
Springfield, Mo	78	.....	70	1.05	.13	.....
Kansas City, Mo	78	.....	56	.87	.....	.01
Concordia, Kans	77	.....	56	.70	.16	.....
Omaha, Nebr	77	.....	70	1.38	.48	.....
Valentine, Nebr	73	.....	42	.70	1.50	.....
Huron, S. D	71	.....	42	.91	.....	.90
Sully, Fort, S. D	.....	.....	.....	.....	.....	.....
Extreme Northwest:						
Moorhead, Minn	67	.....	28	1.09	.....	.77
Bismarck, N. D	69	.....	28	.56	.39	.....
Buford, Fort, N. D	69	.....	14	.51	.31	.....
Rocky Mountain Slope:						
Assiniboine, Fort, Mont	66	14	.....	.51	.....	.43
Helena, Mont	65	.....	14	.21	1.02	.....
Custer, Fort, Mont	70	.....	14	.25	.10	.....
Salt Lake City, Utah	74	.....	28	.14	.21	.....
Cheyenne, Wyo	68	.....	28	.41	.....	.27
North Platte, Nebr	74	.....	56	.65	.72	.....
Denver, Colo	72	.....	42	.42	.....	.24
Montrose, Colo	69	.....	.....	.14	.....	.14
Pueblo, Colo	74	.....	14	.42	.10	.....
Dodge City, Kans	78	.....	42	.63	1.11	.....
Sill, Fort, Ind. T	.....	.....	.....	.....	.....	.....
Santa Fé, N. Mex	69	.....	.....	.59	.....	.49
Pacific Coast:						
Olympia, Wash	62	.....	28	.25	.....	.03
Portland, Oreg	66	.....	28	.14	.....	.04
Roseburg, Oreg	65	.....	28	.18	.68	.....
Red Bluff, Cal	79	.....	56	.00	.16	.....
Sacramento, Cal	72	.....	14	.00	.00	.....
San Francisco, Cal	60	.....	.....	.00	.08	.....
Los Angeles, Cal	71	.....	.....	.00	.00	.....
San Diego, Cal	67	.....	14	.00	.00	.....
Yuma, Ariz	90	.....	.....	.00	.00	.....

FOREIGN.

(Reports received through the Department of State and other channels.)

BAHAMAS—*Governors Harbor.*—Two weeks ended June 20, 1891. Population, 1,101. Total deaths, 4. None from contagious diseases.

Green Turtle Cay—Abaco.—Two weeks ended June 18, 1891. Population, 3,610. Total deaths, 3. None from contagious diseases.

BRAZIL—*Bahia.*—The United States consul, under date of June 13, 1891, reports good health in this city and adjacent country, and abundant rains falling in all parts of the State.

Ceara.—Month of May, 1891. Population, 35,065. Total deaths, 130, including smallpox, 1; beri-beri, 1; and enteric fever, 1.

Para.—Month of May, 1891. Population, 80,000. Total deaths, 264, including yellow fever, 25; phthisis pulmonalis, 19; enteric fever, 3; and measles, 1.

CANADA—*Three Rivers.*—Month of May, 1891. Population, 8,284. Total number of deaths, 24. No deaths reported from contagious diseases.

CUBA—*Havana—Yellow fever increasing.*—The following weekly report has been received from the United States sanitary inspector, dated July 4, 1891:

There were one hundred and fifty (150) deaths in this city during the week ending July 2. Fifteen of those deaths were caused by yellow fever, with approximately 50 new cases, 8 were caused by so-called pernicious fever, 7 by enteric fever, 8 by smallpox, and 1 by diphtheria. By far the largest number of cases of yellow fever and deaths from it are in the military hospital proceeding from the army and navy, mainly the army.

Week ended July 9, 1891. Total deaths, 155, including yellow fever, 4 (80 new cases); so-called pernicious fevers, 6; enteric fever, 5; smallpox, 8; and diphtheria, 1.

DUTCH GUIANA—*Parimaribo.*—Month of April, 1891. Population, 28,221. Total deaths, 152, including typhus fever, 2; leprosy, 1; and measles, 8.

EGYPT.—Week ended June 11, 1891. The towns in upper and lower Egypt, including Gizeh and the Suez Canal, show a total of 1,336 deaths, including phthisis pulmonalis, 66; enteric fever, 65; diphtheria and croup, 2; measles, 62; whooping cough, 10; and smallpox, 6.

FRANCE—*Rheims.*—Month of May, 1891. Population, 104,639. Total deaths, 214, including phthisis pulmonalis, 34; enteric fever, 3; and diphtheria and croup, 5.

Rouen.—Month of May, 1891. Population, 106,496. Total deaths, 301, including phthisis pulmonalis, 33; enteric fever, 7; diphtheria, 3; measles, 3; and whooping cough, 1.

GREAT BRITAIN—*England and Wales.*—The deaths registered in 28 great towns of England and Wales during the week ended June 27 corresponded to an annual rate of 20.4 a thousand of the aggregate population, which is estimated at 9,715,559. The lowest rate was recorded in Cardiff, viz, 16.0, and the highest in Wolverhampton, viz, 28.3 a thousand.

London.—One thousand five hundred and thirty-eight deaths were registered during the week, including measles, 23; scarlet fever, 8; diphtheria, 31; whooping cough, 55; enteric fever, 5; and diarrhœa and dysentery, 25. The deaths from all causes corresponded to an annual rate of 19.0 a thousand. Diseases of the respiratory organs caused 291 deaths. In greater London 1,921 deaths were registered, corresponding to an annual rate of 17.7 a thousand of the population. In the "outer ring" the deaths included whooping cough 11 and diphtheria 5.

Newcastle-upon-Tyne.—Two weeks ended June 13, 1891. Population, 187,500. Total deaths, 148, including 2 from scarlet fever.

Sunderland.—Two weeks ended June 13, 1891. Population, 131,302. Total deaths, 112, including 1 from enteric fever.

Ireland.—The average annual death rate, represented by the deaths registered during the week ended June 27, in the 16 principal town districts of Ireland, was 21.1 a thousand of the population. The lowest rate was recorded in Sligo, viz, 5.2, and the highest in Drogheda, viz, 39.6 a thousand. In Dublin and suburbs 121 deaths were registered, including typhus fever 1 and whooping cough 3.

Scotland.—The deaths registered in eight principal towns during the week ended June 27 corresponded to an annual rate of 21.8 a thousand of the population, which is estimated at 1,345,563. The lowest mortality was recorded in Perth, viz, 6.8, and the highest in Glasgow, viz, 25.5 a thousand. The aggregate number of deaths registered from all causes was 561, including measles, 18; scarlet fever, 9; diphtheria, 1; whooping cough, 19; fever, 7; and diarrhœa, 15.

INDIA—*Singapore.*—Month of April, 1891. Total deaths, 577, including cholera, 1; smallpox, 2; fever, 190; and beri-beri, 42.

MAURITIUS—*Port Louis—Continuance of smallpox and report of vessels leaving infected port, bound for New York.*—The United States consul, under date of June 2, 1891, writes as follows:

In continuation of my letter numbered 280, and bearing date April 6, 1891, I have the honor to inform you that smallpox still exists in

Port Louis, and the mail steamers refuse to communicate with the island.

I have also to inform the Department of State that five vessels, namely, the *Hollandia*, *Louis Eugene*, *Osman Pacha*, *Sarmatian*, and the *Moss Rose*, have recently departed from this port, bound to New York, loaded with sugar.

MEXICO—*Guaymas.*—Month of June, 1891. Population, 6,600. Total deaths from all causes, 7.

NETHERLANDS.—Month of March, 1891. The deaths registered in the principal cities, having an aggregate population of 1,172,989, correspond to an annual rate of 27.8 a thousand. Total number of deaths, 2,872, including phthisis pulmonalis, 292; typhus and enteric fevers, 12; scarlet fever, 1; diphtheria, 29; measles, 53; croup, 24; and whooping cough, 58.

SAINT HELENA.—Two weeks ended May 14, 1891. Population, 3,900. Total deaths, 4. None from contagious diseases.

SIAM—*Bankok—Sanitary condition of city—Cholera.*—Under date of May 18, 1891, the United States consul makes the following report:

The weather temperature is very regular and constant night and day, not going below 99° nor above 103°. Cholera prevails alarmingly; business very dull; a "water famine" frightful, many thousand people begging for a quart or a gallon. This morning I obtained fifteen gallons from a steamer just in from Hong-Kong; when that is gone, I don't know now where to get more.

* * * * * * *

The king is doing all he can, with his boats, supplying river water from above the tide, but it is hardly a drop to a city of 500,000 inhabitants. Fifteen years ago, the old citizens say, there was a water famine, lasting until the middle of July; cholera was more ravaging, and a so-called sun-apoplexy prevailed. Several Europeans, in the last ten days, have dropped dead on the streets and in their yards, apparently well and healthy.

SWITZERLAND.—Week ended May 30, 1891. Reports from 15 cities, having an aggregate population of 503,503, show a total of 201 deaths, including phthisis pulmonalis, 32; enteric fever, 2; scarlet fever, 1; diphtheria and croup, 5; and whooping cough, 5.

Week ended June 6, 1891. Total deaths, 204, including phthisis pulmonalis, 40; scarlet fever, 2; diphtheria and croup, 8; measles, 1; and whooping cough, 5.

Week ended June 13, 1891. Total deaths, 167, including phthisis pulmonalis, 32; enteric fever, 3; scarlet fever, 3; diphtheria and croup, 3; measles, 2; and whooping cough, 2.

WEST INDIES—*Turk's Islands.*—Period from April 8 to May 13, 1891. Population, 4,732. Total deaths, 31. No deaths from contagious diseases.

MORTALITY TABLE, FOREIGN CITIES.

Cities.	Week ended.	Estimated population.	Total deaths from all causes.	Deaths from— Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Paris	June 27	2,260,945	953			2		7	9	15	46	6
Vienna	June 6	1,378,530	673			12		2	8	18	26	4
Vienna	June 13	1,378,530	697			14		3	7	20	20	5
Glasgow	June 27	567,143	278					4	6			
Liverpool	June 27	517,116	266					2				
Brussels	June 20	469,459	190			9		3		1		
Warsaw	June 20	465,272	204			2		1	1	7		
Lyons	June 20	430,000	142					1		3		
Rome	May 30	417,392	174							6	22	1
Leipzig	June 28	362,555	97						1	1		
Copenhagen	June 20	320,000	138							5		
Odessa	June 20	295,000	169									
Cologne	June 20	284,117	116							6	1	3
Barcelona	June 26	272,000	141			2		4		5		
Belfast	June 27	255,896	116					2				
Palermo	June 20	250,000	84					1		1		
Antwerp	June 27	238,788	79							1		
Rotterdam	June 27	209,134	87									
Prague	June 20	182,530	132			1		7	2	2		
Prague	June 27	182,530	160					3	1	4		
Genoa	June 27	180,751	69				2		1	2	1	
Frankfort-on-the-Main	May 23	179,850	72							7		
Frankfort-on-the-Main	June 20	179,850	61						1	3		
Hanover	June 20	168,500	63				1			3		
Venice	June 20	159,190	78					2				
Trieste	June 20	158,054	71			1				7		
Christiania	June 20	150,444	31					1		1		
Christiania	June 27	150,444	52						1	1		
Nuremberg	June 13	142,523	62					1				
Stuttgart	June 27	139,659	59							6		
Hiogo	June 6	136,012	71				3		3			
Hiogo	June 13	136,012	99				5		4			
Funchal	June 20	133,250	30					1				
Cardiff	June 20	130,283	61					1				
Cardiff	June 27	130,283	40					2	6			
Colombo	June 8	128,000				3						
Bremen	June 20	125,000	48						1	2		
Crefeld	June 27	108,000	93									
Aix-la-Chapelle	June 21	104,757	44									
Rheims	June 20	104,639	44								1	
Rheims	June 27	104,639	42							1	2	2
Zurich	June 20	91,323	26						4	9	12	
Mannheim	June 20	80,000	26									
Mannheim	June 27	80,000	30									
Pará	June 7	80,000	59		5		5	7				
Pará	June 14	80,000	58		4		4	4				
Pará	June 21	80,000	43		4		1	3				
Jerez de la Frontera	June 13	61,708	30			1		1				
Trapani	June 20	43,095	16									
Cienfuegos	July 5	41,647	18									
Marsala	June 20	40,131	11									
Gibraltar	June 21	25,756	10									
Schiedam	June 27	25,437	14									
Cartagena	June 13	25,000	13									
Cartagena	June 27	25,000	8									
Vera Cruz	July 3	25,000	16		10	1		3				
Girgenti	June 20	23,547	8				2					
Licata	June 20	20,000	33						21			
Victoria	June 27	20,000	5									
Kingston, Can	June 19	18,172	5									
Matamoras	July 4	16,000	9									
Sagua la Grande	July 4	15,605	10									
Hamilton, Bermuda	June 30	14,314	2									
Hamilton, Bermuda	July 7	14,314	3									
Flushing	June 27	13,200	4									
Port Stanley and St. Thomas	June 10	11,000	3									
Port Stanley and St. Thomas	June 17	11,000	1									
Port Stanley and St. Thomas	June 24	11,000	1									
Guelph	July 5	10,173	2									
Tuxpan	June 20	9,000	6									
Tuxpan	June 27	9,000	3									
Coatlcook	July 4	3,809	2									

MORTALITY TABLE, FOREIGN CITIES—CONTINUED.

Cities.	Week ended.	Estimated population.	Total deaths from all causes.	Deaths from—								
				Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Prescott	June 18	2,988	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Prescott	June 25	2,988	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Prescott	July 9	2,988	2	.....	.....	.....	.....	.....	.....	.....	.....	.....

OFFICIAL: WALTER WYMAN,

Supervising Surgeon-General, Marine-Hospital Service.